# AIR ANGLE GRINDERS







ACCESSORIES

### Vibration Control

Description

Outer wheel screw

Standard Flanges & **Outer Wheel Screws** 

2700-040-00\* Outer flange

\* Supplied as standard

All Toku Industrial grinders should be oiled regularly with Red Rooster ATLUB oil. This

will significantly increased the lifetime of the air motor

and reduces future service

Part number | Description

Lubricating oil

Part number

2700-041-00\*

**Red Rooster** 

**ATLUB Oil** 

ATLUB

A selection of our tools are fully equipped with a range of vibration reducing design features for smoother operation and greater comfort. By selecting a vibration controlled option, you not not only decrease any potential health risks to your tool

Tools for mounting

8081-0022-00-00\* Spanner H41

grinding wheels

Part number

\* Supplied as

standard

operators, but you could also massively increase your productivity levels. The vibration control feature increases the length of time the tool can be used before current ELV & EAV levels are reached.




## TAG-900QJL

#### **INDUSTRIAL**

- Vibration level 3.6m/s<sup>2</sup>
- 9" Angle grinder 6,500rpm
- Compact & lightweight design
- Two-handed operation
- For cutting, grinding & sanding applications
- Suitable for industrial applications
- Vibration damping side handle
- Silenced exhaust for increased operator comfort.

Туре	TAG-900QJL		
Brand	TOKU		
Wheel size mm	230 x 6.0* x 22.23		
RPM	6,500		
Power kW	1.10		
Air cons. I/s	16.6		
Weight kg	3.10		
Inlet thread	PT 3/8"		
Hose diameter mm	13.0		
Vibration m/s²	3.6		
Noise level dB(A)	82		

\* Maximum wheel thickness



ОАТА	Туре	A mm	B mm	C mm	D mm
7	TAG-900QJL	307	103	36	62
TECHNICAL DATA	В	A			

ELV - Daily Exposure Limit Value EAV - Daily Exposure Action Value						
Product Code	Time to reach ELV (hours:minutes)	Time to reach EAV (hours:minutes)				
TAG-900QJL	15.26	3.51				



## REPAIR & SERVICE DEPARTMENT

From the Yokota UK service centre at our Sheffield head office we are able to offer you full service, repair & preventative maintenance.

Description

- FREE no obligation quotations
- 3 month comprehensive warranty on all work carried out
- Fully traceable repair history through our quality management systems
- Only OEM spare parts used
- Complete maintenance advice service